

Appendix A: Tree Schedule

Tree N°	Species	Age Class	Height (m)	Diameter (mm)	Crown Spread (m)				Life Exp	Cat	Condition	General Observations	Preliminary Management Recommendations	RPA (m²)	RPA Radius (m)
					N	E	S	W							
T1	Rowan	M	6	100	2	2	2	2	20+	C1	Fair	Unremarkable tree.	No work recommended.	5	1.2
T2	Yew	M	6	150	3	3	3	3	40+	C1	Fair	Unremarkable tree.	No work recommended.	10	1.8
T3	Leyland Cypress	M	6	200	2	2	2	2	20+	C1	Fair	Unremarkable tree.	No work recommended.	18	2.4
T4	Wild Cherry	M	6	200	3	2	3	2	20+	C1	Poor	Located next to boundary wall, with previous large pruning wounding, deadwood throughout multi-stem structure from base.	Remove deadwood >250mm. Annual monitoring.	18	2.4
T5	Hawthorn	M	8	396	3	2	1	3	20+	C1	Fair	Located within raised soil bed (limited area), adjacent to boundary wall, phoneline through canopy.	No work recommended.	72	4.8
T6	Yew	M	8	560	2	4	4	4	40+	B2	Fair	Located within raised soil bed (limited area), adjacent to boundary wall, phoneline through canopy.	No work recommended.	141	6.7
T7	Yew	M	6	220	1	2	2	2	40+	C1	Fair	Located within raised soil bed (limited area), adjacent to boundary wall, surprised growth due to surrounding canopy.	No work recommended.	21	2.6
T8	Yew	M	8	450	2	4	2	3	40+	B2	Fair	Located within raised soil bed (limited area), adjacent to boundary wall, previously crown reduced.	No work recommended.	92	5.4

Tree No	Species	Age Class	Height (m)	Diameter (mm)	Crown Spread (m)				Life Exp	Cat	Condition	General Observations	Preliminary Management Recommendations	RPA (m ²)	RPA Radius (m)
					N	E	S	W							
T9	Yew	M	8	420	2	4	2	3	40+	B2	Fair	Located within raised soil bed (limited area), adjacent to boundary wall, previously crown reduced.	No work recommended.	79	5
T10	Yew	M	8	360	2	2	3	2	40+	B2	Fair	Adjacent to area hard surfacing, with previous pruning wounds.	No work recommended.	58	4.3
T11	Yew	M	8	350	2	3	3	2	40+	B2	Fair	Adjacent to area hard surfacing, with previous pruning wounds.	No work recommended.	55	4.2
T12	Yew	M	5	80	2	2	2	2	20+	C1	Poor	Maintained as hedge and crown raised.	No work recommended.	3	1
T13	Yew	M	5	250	2	2	2	2	20+	C1	Poor	Maintained as hedge and crown raised.	No work recommended.	28	3
T14	Leyland Cypress	M	10	200	2	2	2	2	10+	C1	Fair	Located off site. previously topped at 9m.	No work recommended.	18	2.4
T15	Silver Birch	M	14	500	5	5	5	5	40+	B2	Fair	Located off site. with dividing wall along site boundary.	No work recommended.	113	6
T16	Black Spruce	M	5	100	2	2	2	2	20+	C1	Fair	Unremarkable tree (planted Christmas tree).	No work recommended.	5	1.2
T17	Korean Fir	M	5	100	2	2	2	2	20+	C1	Fair	Ornamental planting with garden.	No work recommended.	5	1.2
T18	Japanese Maple	M	5	249	3	3	3	3	20+	B1	Fair	Ornamental planting with garden.	No work recommended.	28	3
T19	Holly	M	5	80	2	2	2	2	20+	C1	Fair	Unremarkable tree.	No work recommended.	3	1

Tree N°	Species	Age Class	Height (m)	Diameter (mm)	Crown Spread (m)				Life Exp	Cat	Condition	General Observations	Preliminary Management Recommendations	RPA (m²)	RPA Radius (m)
					N	E	S	W							
T20	Yew	M	5	410	3	3	3	3	20+	C2	Poor	Maintained as hedge.	No work recommended.	75	4.9
T21	Holly	M	6	361	2	4	2	2	20+	C1	Fair	Boundary vegetation row.	No work recommended.	58	4.3
T22	Yew	M	6	250	2	4	2	2	40+	C2	Fair	Boundary vegetation row.	No work recommended.	28	3
T23	Yew	M	8	400	3	4	3	3	40+	B2	Fair	Boundary vegetation row.	No work recommended.	72	4.8
T24	Yew	M	5	150	3	3	3	3	20+	C2	Fair	Boundary vegetation row.	No work recommended.	10	1.8
T25	Yew	M	5	150	3	3	3	3	20+	C2	Fair	Boundary vegetation row.	No work recommended.	10	1.8
T26	Holly	M	5	230	4	4	4	4	20+	C2	Fair	Boundary vegetation row.	No work recommended.	25	2.8
T27	Holly	M	5	150	3	3	3	3	20+	C2	Fair	Boundary vegetation row.	No work recommended.	10	1.8
T28	Yew	M	5	150	3	3	3	3	20+	C2	Fair	Boundary vegetation row.	No work recommended.	10	1.8
T29	Holly	M	5	150	3	3	3	3	20+	C2	Fair	Boundary vegetation row.	No work recommended.	10	1.8
T30	Holly	M	5	40	1	1	1	1	20+	C2	Fair	Boundary vegetation row.	No work recommended.	1	0.5

Tree N°	Species	Age Class	Height (m)	Diameter (mm)	Crown Spread (m)				Life Exp	Cat	Condition	General Observations	Preliminary Management Recommendations	RPA (m²)	RPA Radius (m)
					N	E	S	W							
T31	Leyland Cypress	EM	5	100	1	1	1	1	10+	C2	Fair	Boundary vegetation row.	No work recommended.	5	1.2
T32	Leyland Cypress	EM	7	250	2	2	3	2	10+	C2	Fair	Boundary vegetation row.	No work recommended.	28	3
T33	Purple Plum	EM	6	94	2	2	3	2	20+	C2	Fair	Boundary vegetation row.	No work recommended.	4	1.1
T34	Yew	EM	6	80	2	2	3	2	20+	C2	Fair	Boundary vegetation row.	No work recommended.	3	1
T35	Hawthorn	EM	6	80	2	2	2	2	20+	C2	Fair	Boundary vegetation row.	No work recommended.	3	1
G1	Holly, Rowan	EM	5 (Avg)	100 (Avg)	/	/	/	/	20+	C2	Fair	Boarder planting along the eastern boundary.	No work recommended.	/	1.2
G2	Yew	EM	6 (Avg)	100 (Avg)	/	/	/	/	20+	C2	Fair	Boarder planting along the western boundary.	No work recommended.	/	1.2
G3	Yew, Holly, Lawson Cypress	EM	6 (Avg)	100 (Avg)	/	/	/	/	20+	C2	Fair	Boarder planting adjacent to the existing building.	No work recommended.	/	1.2
H1	Hornbeam	EM	7 (Avg)	100 (Avg)	/	/	/	/	20+	C2	Fair	Maintained hedgerow, recently cut back.	No work recommended.	/	1.2
H2	Hornbeam	EM	7 (Avg)	100 (Avg)	/	/	/	/	20+	C2	Fair	Maintained boundary hedgerow.	No work recommended.	/	1.2