



SECTIONS




FRONT ELEVATIONS


10mm JOINTS BETWEEN
BRICK SLIPS TO BE FILLED
WITH MORTAR ON SITE




25mm BRICK SLIPS
BONDED TO
CONCRETE BACKING



DASHED LINE DENOTES EXTENT OF PARTIAL FILL
INSULATION, 25mm THICK BEHIND RECESS. SHOWN
FOR INDICATIVE PURPOSES ONLY. REFER TO SITE SPEC.



BRICK FALSE WINDOW RECESS PANEL



RENDER FALSE WINDOW RECESS PANEL

A 04.01.21 Increased cavity behind recess to 75mm, Indicated full fill insulation, reduced partial fill insulation behind recess to 25mm

REVISION | DATE | DESCRIPTION

IF YOU REQUIRE COPIES OF PREVIOUS REVISIONS OF THIS DETAIL, PLEASE CONTACT YOUR TECHNICAL DEPARTMENT

Title **BRICK VOUSSIORS AND FALSE WINDOW DETAILS**

ADN - RSD - Scale at A4 1:10 Revision A Reference F-SDR009

Notes **F SERIES**

Published 12.06.2015

W02 Render North Facades VP/Sheep/Magnet Logo.jpg

REDROW
Group Services Ltd