


















Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types		
			Code	Inverts	Diams		Manhole	Cover	
S1	63.125					1800	C	D400	
E. 425273.046 N. 331063.905	1.200		0	1.000	61.550				375
S2	62.580		1	1.000	61.250	375	1800	C	D400
E. 425320.721 N. 331054.989	0.955		0	1.001	61.250	375			
S3	62.745		1	1.001	61.200	375	1500	C	D400
E. 425336.587 N. 331060.601	1.170		0	1.002	61.200	375			
S4	62.978		1	1.002	61.100	375	1500	B	D400
E. 425349.326 N. 331078.002	1.503		0	1.003	61.100	375			
S5	62.860		1	1.003	61.050	375	1500	C	D400
E. 425363.392 N. 331082.487	1.435		0	1.004	61.050	375			
S6	62.511		1	1.004	60.975	375	1500	C	D400
E. 425389.670 N. 331075.171	1.161		0	1.005	60.975	375			
S7	62.150		1	1.005	60.825	375	1500	C	D400
E. 425392.288 N. 331028.377	0.950		0	1.006	60.825	375			
S8	62.135		1	1.006	60.760	375	3000	CONTROL CHAMBER	D400
E. 425400.276 N. 331013.869	1.000		0	1.007	60.760	150			

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types		
			Code	Inverts	Diams		Manhole	Cover	
S20	62.793					1500	C	D400	
E. 425340.438 N. 331004.585	0.918		0	1.000	61.425				450
S21	62.465		1	1.000	61.110	450	1500	C	D400
E. 425315.902 N. 330998.249	0.905		0	1.001	61.110	450			
S22	62.665		1	1.001	61.000	450	1500	C	D400
E. 425285.982 N. 331001.638	1.215		0	1.002	61.000	450			
S23	62.815		1	1.002	60.950	450	1800	C	D400
E. 425277.432 N. 330994.249	1.415		0	1.003	60.800	600			
S24	62.471		1	1.003	60.625	600	1800	C	D400
E. 425291.142 N. 330951.128	1.246		0	1.004	60.625	600			
S25	62.400		1	1.004	60.450	600	1800	C	D400
E. 425296.631 N. 330933.721	1.350		0	1.005	60.450	600			
S26	62.400		1	1.005	60.400	600	3000	CONTROL CHAMBER	D400
E. 425316.982 N. 330933.500	1.850		0	1.006	60.400	150			

Manhole Number	Cover Level	Connections	Pipe			Manhole Size	Types		
			Code	Inverts	Diams		Manhole	Cover	
F1	62.806					1200	C	D400	
E. 425341.677 N. 331007.277	1.481		0	1.001	61.175				150
F2	62.478		1	1.001	60.975	150	1200	C	D400
E. 425315.097 N. 331000.336	1.353		0	1.002	60.975	150			
F3	62.617		1	1.002	60.775	150	1200	B	D400
E. 425286.515 N. 331003.300	1.692		0	1.003	60.775	150			
F4	62.704		1	1.003	60.715	150	1200	B	D400
E. 425278.500 N. 331000.035	1.839		0	1.004	60.715	150			
F5	62.766		1	1.004	60.615	150	1200	B	D400
E. 425275.053 N. 330993.888	2.001		0	1.005	60.615	150			
F6	62.529		1	1.005	60.325	150	1200	B	D400
E. 425288.808 N. 330952.659	2.054		0	1.006	60.325	150			
F7	62.375		1	1.006	60.175	150	1200	B	D400
E. 425295.227 N. 330932.143	2.050		0	1.007	60.175	150			
F8	62.150		1	1.007	60.010	150	1200	B	D400
E. 425318.851 N. 330931.707	1.990		0	1.008	60.010	150			

NOTES

- Contractors must check all dimensions on site. Only figured dimensions are to be worked from. Discrepancies must be reported to the Architect or Engineer before proceeding. © This drawing is copyright.
- Reproduced from OS Sitemap ® by permission of Ordnance Survey on behalf of The Controller of Her Majesty's Stationery Office. © Crown copyright 2008. All rights reserved. Licence number 100007126.
- Until technical approval has been obtained from the relevant authorities, all drawings are issued as preliminary and not for construction. Should the Contractor commence site work prior to the approval being given it is entirely at their own risk.
- Woods Hardwick cannot accept any discrepancies in terms of coordinates or any other information deciphered from .dwg files.
- The exact location and level of all existing sewers, drains and services are to be confirmed on site prior to the commencement of any works.
- Drainage to be designed in accordance with the Sewerage Sector Guidance, Design and Construction Guidance ("the Code") Approved Version 2.1, 25 May 2021.
- All pipes to be bedded on Class 'S' bedding, unless shown with concrete protection slab - refer to Sewerage Sector Guidance, Design and Construction Guidance ("the Code") Approved Version 2.1, 25 May 2021.

B	FOUL RUN REMOVED, S8 RELOCATED	WT	WD	23.05.2022	
A	SCHEDULES AMENDED TO SUIT LATEST DESIGN FOLLOWING UPDATED SITE PLAN REV M	WD	PK	13.04.2022	
REV	DESCRIPTION	DRN	CHD	DATE	
☒	PRELIMINARY	☐	INFORMATION	☐	TENDER
☐	CONSTRUCTION	☐	AS BUILT		

SCALE	N.T.S @ A1	DATE	NOVEMBER 2021
-------	------------	------	---------------

DRAWN	WT	CHK	PK
-------	----	-----	----

DRAWING NO.	18911-LULA-5-720	REV	B
-------------	------------------	-----	---

TITLE	LAND OFF LUCAS LANE HILTON
-------	-------------------------------

DETAILS	MANHOLE SCHEDULES
---------	-------------------